

AFRICOTE®

"Original coatings for Africa"


EST. 1990

INTRODUCTION

Rock art and cave painting across Africa serves as proof of our indigenous ancestors desire and passion to express individuality through creativity. Early cave dwellers became paint pioneers when they perfected the process of identifying and extracting naturally occurring dyes from vegetation and iron oxides from rock formations and mixing it with water and finely crushed plant matter, before painting onto cave walls.

We at Africote®, strive to encapsulate this natural essence, by incorporating into our products the very ingredients, that Mother Earth continues to offer today, as she did then. In addition, Africote® utilizes the latest modern coatings technology and an advanced manufacturing facility to produce a leading range of cementitious and conventional coatings. Africote® employs experts in the areas of developing, testing and new applications of products. For the home owner, designer or architect, who desires to add value to his or her residence or commercial building, whether for interiors or exterior applications, Africote's® marketing team not only stands ready to assist with innovation and diversity, but also ensures the same high level of service is offered at all levels, from the individual customer to product managers of large construction sites.

We are extremely mindful of damage to the environment, which can be caused by VOC's (Volatile Organic Compounds), toxic metals and other harmful substances, as found in traditional coatings. We strive to continue with the development and production of eco-friendly product ranges, limiting VOC's and wherever possible, use recyclable materials in our product formulations. Several of our acrylic coatings are considered eco-friendly due to their low VOC levels, being below 200 grams per litre. Our Cement Naturals and Kolorcote-T coatings are considered zero VOC products and are therefore extremely eco-friendly. Africote® is passionate about the well-being of our planet and is a proud member of the Green Building Council.



EPOXY SEALER

DESCRIPTION

Africote Clear High Build Epoxy Sealer is a solvent based glossy colour enhancing two part sealer designed to give a durable hard wearing surface when applied over Africote's Flooring Products, Chemstains, Stucco, counter tops and concrete floors.

For internal use only! Exposure to direct sunlight will cause yellowing and deterioration over time.

PACKAGING: Two-Part System

1 litre pack

Epoxy Sealer 1 litre metal container with 600ml of sealer.
Epoxy Hardener 0.5 litre metal container with 400ml of Hardener.

5 litre pack

Epoxy Sealer 5 litre metal container with 3 litre sealer.
Epoxy Hardener 2 litre metal container with 2 litres of Hardener.

COVERAGE: 8 - 10 sq. metres.

SHELF LIFE: 18 Months in sealed containers. Sealer & Hardener kept separate.

