


For online ordering and payment visit:

<http://www.capedoorclosers.co.za/wproducts.php>



***K 720 Door Closer for Doors up to 45 kg***

**Price R 500.00 incl. (free delivery within 25 km of cape town cbd)**

**Household doors, office doors, wooden doors, aluminum doors, steel doors, steel gates**

**Installs on both right and left side.**

**Specification :**

- **Two independent closing speed adjustable valves.**
- **Three types of applications (Universal), standard, parallel, and top jamb**
- **Rack and pinion mechanism contained in a high tensile precision cast aluminum housing assures the highest quality**
- **Door Opening angle : 180 degrees**
- **Guarantee : 1 year**
- **Color : Aluminum**

**Model number & dimensions W x H of door Weight of door**

**K72:204 x 46.8 x 65.8mm 800 x 2100mm 25-45 kg K73:226 x 47.2 x 66.5 950 x 2100mm  
40-65 kg**

***NSK 630 Door Closer for Doors up to 65 kg***

**Price R 600.00 incl. (free delivery within 25 km of cape town cbd)**

**Household doors, office doors, wooden doors, aluminum doors, steel doors, steel gates**

**Installs on both right and left side.**

**Specification : Two independent closing speed adjustable valves.**

- **Three types of applications (Universal), standard, parallel, and top jamb**
- **Rack and pinion mechanism contained in a high tensile precision cast aluminum housing assures the highest quality**
- **Door Opening angle : 180 degrees**
- **Guarantee : 5 year**
- **Color : Aluminum**

**Model number & dimensions W x H of door Weight of door**


**NSK 630:204 x 46.8 x 65.8mm 800 x 2100mm 25-45 kg K73:226 x 47.2 x 66.5 950 x 2100mm  
40-65 kg**

**Door closer weight and dimension**

**NSK 630 1.5kg**

**Dimension of packaging box**

**120x90x70 mm**



***K 740 BC Door Closer for Doors up to 85 kg with back check valve***

**Price R 900.00 incl. (free delivery within 25 km of cape town cbd)**

**Household doors, office doors, wooden doors, aluminum doors, steel doors, steel gates.**

**Household doors, office doors, wooden doors, aluminum doors, steel doors, steel gates, fire doors etc.**

**Installs on both right and left side.**

**Specification:**

**Two independent closing speed adjustable valves.**

**+1 BC (Back Check Valve)**

**Three types of applications (Universal), standard, parallel, and top jamb. Rack and pinion mechanism contained in a high tensile precision cast aluminum housing assures the highest quality. Door Opening angle : 180 degrees Guarantee : 1 year Color : Aluminum**

**Model number&dimensions W x H of door Weight of door**

**K74 :248 x 47.2 x 66.5mm 1050 x 2400 mm 60-85 kg**