


Cotto Veneto Tiles



Rustic



300 x 300mm 400 x 400mm
400 x 400mm

Stone



400 x 400mm

Weave



400 x 400mm

Relief



400 x 400mm



Terracotta Rustic (400 x 400mm) - Restaurant Village Walk JHB

The earthy range of Cotto Veneto tiles from Union

Tiles is inspired by the Cotto tiles manufactured in Venice Italy. The tiles are characterised by their rustic nature, earthy tones, variation in shade and imperfections that make each tile distinctly different from the next. This uniqueness creates it's own charm.

The Cotto range is extremely durable, being suitable for domestic interior and exterior use, as well as commercial use in high traffic areas.



Non-slip pool surrounds

Cotto Weave

- Available in a range of 4 earthy colours
- Durable
- Non-slip
- Rustic
- Comfortable underfoot



Suntan Weave (400 x 400mm)

Terracotta Rustic (300 x 300mm) - Sun deck with Verde Rogallo Marble insets



Terracotta Rustic (300 x 300mm) - Wine cellar with Blue Rosettas and Listelli



Decorative accessories include "hand crafted" Rosettas and Listelli



(300 x 100 x 25mm) Listello



Patterned Rosetta available in 3 hand crafted colours:

- Cream
- Blue
- Green

(100 x 100 x 25mm approx.)



Rosetta plain

- Terracotta
- Suntan
- Burnt Brown
- Coral

(100 x 100 x 25mm approx.)



Coral Stone

Cotto Stone



The Cotto Stone range is available in our 4 earthy colours and its stone-like appearance is non-slip yet pleasant to walk on barefoot, making it ideal for pool surrounds and areas where a natural floor paving texture is sought after.



Dining room with Terracotta Rustic (400 X 400mm) using contrasting green Listelli.

Cotto Relief



Terracotta Relief (400 x 400mm)



Patio / landscape paving

Non-slip Terracotta relief incorporates a band of natural brown river pebbles sourced from our local rivers. The tile and textures are unique and interesting to the eye and ideally used externally.



Terracotta Rustic (300 x 300mm) suitable for both interior and exterior applications



Beverly Hills Hotel pool deck



The rustic surface of the Cotto Tiles makes this tile non-slip and therefore ideal for paving areas where water is likely to drain/pool.



Terracotta Rustic Arrised step tiles and skirting tiles are suitable for both interior and exterior use.

THE RUSTIC; WEAVE AND STONE TILE TEXTURE COLOUR RANGE



TERRACOTTA

RUSTIC SIZES

300 x 300 x 25mm (approx)
400 x 400 x 25mm (approx)



SUNTAN

Weights

55kg/m²
55kg/m²



CORAL

RUSTIC SIZES

400 x 400 x 35mm (approx)
450 x 450 x 50mm (approx)



BURNT BROWN

Weights

70kg/m²
110kg/m²

SUNTAN WEAVE



400 x 400mm

**COTTO VENETO NON-SLIP
CORAL STONE**



400 x 400mm

TERRACOTTA RELIEF



400 x 400 x 35mm

ACCESSORIES



OSL Step/Coping
400 x 400 x 35mm



LM Corner Step/Coping
300 x 300 x 35mm



LM Step/Coping
300 x 300 x 35mm



Skirting
400 x 80 x 35mm
300 x 75 x 35mm



Single Arris
300 x 300 x 35mm
400 x 400 x 35mm
450 x 450 x 50mm

Colours portrayed are as accurate as printing allows. (Please request sample before ordering/specifying).

STORING OF TILES

Do not store tiles outside exposed to dust and dirt. Preferably keep under cover and not in direct contact with soil to avoid possible soiling and crazing.

LAYING AND SEALING OF COTTO VENETO TILES

Cotto Veneto tiles are factory sealed to prevent soiling and marking with grout and mortar during the installation stage.

The tiles are ideally laid with a 4 to 6mm wide joint. Lay dampened tiles into a 6:1 River Sand/Cement screed (that is semi dry and soft to accommodate the slight variations in thickness of the tiles) with a cement slurry applied on top of the screed to improve adhesion between the screed and underside of the tile. The following day, grout the joints with an approved grout, either neutral grey or in a matching colour, any excess grout must be removed the same day (Factory blended grouts in the same colours as the tiles are available).

Allow sufficient time for all moisture to dry from the grout, bedding screed, and cleaning operations. Thereafter re-seal with "Union Sealer" for all external areas, while internal areas are preferably waxed with floor polish.

CLEANING COTTO VENETO TILES

Clean thoroughly using water and neutral detergents.
DO NOT USE ACIDS, SPIRITS OF SALTS OR ANY OTHER NON NEUTRAL DETERGENTS

ROUTINE MAINTENANCE OF COTTO VENETO TILES

By their very nature, Cotto Veneto tiles require minimal maintenance and are extremely durable.

External areas are to be hosed with water and swept regularly. Any stubborn marks are to be removed with neutral detergents such as SQT cleaner. Periodic re-sealing may be necessary every few years, depending on traffic and exposure to sunlight. Internal areas are to be maintained the same way, but if they were originally waxed - this waxing must be continued at periodic intervals, depending on traffic. If sealed internally, re-sealing is then possible. However, we advise against repeated re-sealing (3 coats maximum). If further re-sealing is desired, we recommend that previous coats of sealer be removed first. Effluorescence may become visible, in the form of a white powdery mark, especially in areas where moisture can enter the tile from beneath. If such a situation exists, it would be preferable to wait, before sealing, to allow time for the effluorescence to work its way out of the tile. Effluorescence is a natural phenomenon with all clay and cement products, and is a chemical reaction initiated by water/moisture.



UNION FLOORING TILES (PTY) LTD.

P.O. BOX 84, BEDFORDVIEW 2008
TEL: (011) 455 4220 (23 LINES) FAX: (011) 455 5395
SHOWROOM: CNR. NORTH REEF ROAD/A.G. DE WITT DRIVE,
GERMISTON, SOUTH AFRICA



FOUNDER MEMBER OF:
THE SOUTH AFRICAN
TERRAZZO TILE
MANUFACTURERS
ASSOCIATION