

# MEDITERRANEAN HAND CRAFTED TILES



FANCY NON-SLIP SERIES  
GLY VRY REEKS

*Camellia Pattern 690 ICLNT 250x250x23 mm*

**Exclusive floor tiles designed to blend with any colour scheme**

**Zinnia 630-WCNT** (250x250x23 mm)



**Nota:**  
Wanneer bestellings geplaas word  
meld asseblief Verwysing Nommer

**Note:**  
When ordering please stipulate  
Pattern Reference Number.

Verw./Ref. No. 630-WCNT




**Terrazzo step tiles available in colours to match all patterns**  
**Terrazzo teëls vir trappe verkrygbaar in kleure om alle patrone te pas**

**Sunflower 640-WCBNT** (250x250x23 mm)



Verw./Ref. No. 640-WCBNT



*A new dimension in decor with a Mediterranean flavour.  
A colourful and lively range for the homeowner  
to enhance the beauty of open terraces,  
patios, sun porches and verandahs, etc.*

MED SE

*'n Nuwe dimensie in dekor met Mediterreense  
atmosfeer, 'n kleurvolle en lewendige reeks vir die  
huis-eienaar om die skoonheid van patios,  
sonkamers en stoepe te beklemtoon.*

MEDIT



Verw./Ref. No. 700-WCLVT




Verw./Ref. No. 700-WRLVT



**Begonia 700-WRLVT** (250x250x23 mm)

MED AN

Verw./Ref. No. 670-CRT



Verw./Ref. No. 670-LVNT



**Cardinal 670-CRT** (250x250x23 mm)

**Nota:**  
Blou terrazzo kleur  
beskikbaar in verskillende  
ontwerpe teen ekstra k

**Note:**  
Blue terrazzo colouring  
available in designs at  
an extra charge.

MEDIT

Besondere vloerteëls om by enige kleurskema te pas

Mimosa 900-IYLNM (250x250x23 mm)



Verw./Ref. No. 900-IYLNM



GREENSE  
ELS  
ON  
ES  
IRANEAN

L.W. Alle kleure hierop gewys is alleenlik naastenby  
250x250 teël – 16 per vk. meter

N.B. All colours shown are approximate 250x250 tile – 16 per sq. metre



Verw./Ref. No. 710-WRLVT



Hyacinth 710 WCLVT (250x250x23 mm)

Verw./Ref. No. 710-WCLVT

Fleur-de-Lys 680-WCRT (250x250x23 mm)



Verw./Ref. No. 680-WCRT



Verw./Ref. No. 680-WYVT


MEDITE  
TE  
UN  
TI  
MEDITE



Verw./Ref. No. 99-CRT



Verw./Ref. No. 99-WBT




Protea 99-WBT (300x300x32 mm)

### Hibiscus 95-VFTR (200x200x19 mm)



Verw./Ref. No. 95-VFTR

Verw./Ref. No. 95-VFTR



### Note:

All designs shown in this pamphlet are in terrazzo finish and colour combinations are standard. Special colour arrangements are available at an additional charge.

### Nota:

Alle ontwerpe vertoon in hierdie pamflet, is alleenlik in terrazzo beskikbaar, en kleur kombinasies is standaard. Spesiale kleur rangskikkings is verkrygbaar teen hoër prys.

### Strelitzia 85 CRT (200x200x19 mm) 850 CRT (250x250x23 mm)

Verw./Ref. No. 85-CRT



Verw./Ref. No. 85-CRT



MEMBER OF  
THE SOUTH AFRICAN  
TERRAZZO TILE  
MANUFACTURERS'  
ASSOCIATION


EENSE

S



S


ANEAN



Verw./Ref. 1 ROMPAV/CRT

Roman Paver

Verw./Ref. 1 ROMPAV/CRT



### General information

Tiles should be soaked and allowed to dry slightly before laying. As there is a minor variation in thickness, they should be bedded in a soft screed (1:4 cement/sand mixture) to a true top level surface.

As non-skid tiles are bevel-edged they should be laid closely jointed, thereby eliminating grouting.

On completion of laying, the tiles should be thoroughly cleaned and a recommended sealer should be applied.

**N.B. DO NOT USE SPIRITS OF SALTS TO CLEAN ANY CEMENT OR TERRAZZO TILES.**

Colours portrayed in this brochure are as accurate as printing allows.

### Algemene inligting:

Teëls behoort geweek en effens droog te wees voordat dit gelê word. Aangesien hulle effens in dikte varieer, behoort hulle in 'n sagte mortel (1:4 sement/sandmengsel) gelê te word tot 'n ware gelyke bovlak.

Aangesien glywale teëls afgeskuins is, behoort hulle taamlik dig teenmekaar gelê te word, om breivulling sodoende uit te skakel.

Na teëls gelê is, maak oppervlakte daaglik skoon. Nadat teëls droog is, word 'n aanbevole sealer aangewend.

**L.W. MOENIE SOUTSUUR GEBRUIK OM ENIGE SEMENT OF TERRAZZO TEËLS SKOON TE MAAK NIE.**

Kleure in hierdie brosjure afgebeeld is so akkuraat as wat die drukwerk moontlik maak.

## UNION FLOORING TILES (PTY) LTD

Cor./H/v. North Reef and/en De Witt Drive/Ryiaan, Bedfordview East/Oos, Germiston

Phone/Foon (011) 455-4220. Tel. Ad. "Union Tiles" Bedfordview

P.O. Box/Posbus 84, Bedfordview 2008, South Africa

Fax (011) 455 5205. Telex No. 428401 S A